
# **Adjustment Tracking Chart**

Tip Profiling Machine for Bassoon and Contrabassoon



| Position of<br>Template | Distance to<br>Line | Position of<br>Knob | Template | Date    | Notes  |
|-------------------------|---------------------|---------------------|----------|---------|--|
|                         | 61.2 mm             | 0                   |          | 1/12/19 |  |
| Ш                       | 62.2mm              | 42                  | FGI      | 2/2/19  | moved heart<br>forward, adjusted<br>everything thinner |
|                         |                     |                     |          |         |  |
|                         |                     | <b>&lt;&gt;</b>     |          |         |  |
|                         |                     | <>                  |          |         |  |
|                         |                     | <>                  |          |         |  |
| 1                       |                     | < >                 |          |         |  |
|                         |                     |                     |          |         |  |



Distance to Line is measured from the far end of the template to the engraving line on the tongue of the tip profiling machine.


Visit www.reedsnstuff.com/en/Support/Bassoon for more helpful information and resources.

### Reeds 'n Stuff

## **Adjustment Tracking Chart**

Tip Profiling Machine for Bassoon and Contrabassoon

| Position of<br>Template | Distance to<br>Line | Position of<br>Knob | Template | Date | Notes |
|-------------------------|---------------------|---------------------|----------|------|-------|
|                         |                     |                     |          |      |       |
|                         |                     | <>                  |          |      |       |
|                         |                     | <>                  |          |      |       |
|                         |                     | < >                 |          |      |       |
|                         |                     | <>                  |          |      |       |
|                         |                     | < >                 |          |      |       |
|                         |                     | < >                 |          |      |       |



Distance to Line is measured from the far end of the template to the engraving line on the tongue of the tip profiling machine.


Visit www.reedsnstuff.com/en/Support/Bassoon for more helpful information and resources.

### Reeds 'n Stuff

## **Adjustment Tracking Chart**

Tip Profiling Machine for Bassoon and Contrabassoon

| Position of<br>Template | Distance to<br>Line | Position of<br>Knob | Template | Date | Notes |
|-------------------------|---------------------|---------------------|----------|------|-------|
|                         |                     |                     |          |      |       |
|                         |                     | <>                  |          |      |       |
|                         |                     | <>                  |          |      |       |
|                         |                     | < >                 |          |      |       |
|                         |                     | <>                  |          |      |       |
|                         |                     | < >                 |          |      |       |
|                         |                     | < >                 |          |      |       |



Distance to Line is measured from the far end of the template to the engraving line on the tongue of the tip profiling machine.

Visit www.reedsnstuff.com/en/Support/Bassoon for more helpful information and resources.